JOB NO. 4940-1 BARGE: IETT113 BASF -

HERCULES
MARINE SERVICES CORPORATION

P. O. Drawer O . Freeport, Texas 77541

INVOICE NO. :

3291-96

DATE

January 18, 1996

Job No.

4940-2

Location

Freeport

TO:

BASF 602 Copper Road Freeport, TX 77541 PLEASE REMIT PAYMENTS TO:

11011 RICHMOND SUITE 500

HOUSTON, TX. 77042

PO#F91392

Terms

Net 30

FOR: Service to EIT113 as follows:

Crop out damaged plate on side and deck of #2 wing tank; lay out plate and angles and fit on side of barge; weld inside and gauge and weld outside; clean and paint new plate; remove vent line stack; assist chemist in inspection; install stack; blow pipeline for Bobby Fuller's ok.

Labor:

Leadman 7 S/T 33.50 Leadman 8 O/T 48.00 31.00 Journey 17.5 S/T Journey 21 O/T 44.25

234.50 384.00

542.50 929.25

300.00

Marine chemist

aterials: 4 x 8 x 3/8" plate, angle iron, welding rods, cutting rig

650.00

TOTAL AMOUNT DUE

\$3,040.25

HER 00016

PHONE: (409) 233-6371

JOB WORKSCOPE/BREAKDOWN

JOB NO. 4940 CUSTOMER BASE	BARCE 677 113
FOREMAN: S/T 6/2 36.00	\$ 234.00
O/T51.75	103.50
LEADMAN: S/T33.50	
O/T48.00	
JOURNEY S/T 24/2 31.00	8 573.5°0 759.
0/T <u>\$</u> 44.25	354.00
DISPOSAL: 2,000 CALS. 0 .50	700.00
MATERIAL:PLUS 20%	•
STOCK MATERIAL: 38.40 PLUS 20%	38.40
EQUIPMENT:	
COMPRESSOR 8 @ 44	4.00 _ 352.00
AIR MOVERS 42 @ 5	2.00 210.00
FORKLIFT @ 20	0.00
TUGBOAT@ 80	0.00
STEAM RIG @ 80	325.00
	5.00. 100.00
HAND HOSE 4 @ 10	0.00 40.00
WELDING MACHINE @ 15	.00
CHERRYPICKER@ 50	.00
CRANE@ 130	0.00
FLATBED TRUCK@ 20	0.00
3" CAS PUMP@ 14	
2" STRIPPING PUMP 4 @ 12.	.00 48.00
BUTTERWORTH @ 10	.00 42.03
4" ELECT. PUMP@ 15	.00
WORK BARGE@ 35	.00
CUTTING RIG@ 8	
HAUL OUT@1100	
ARRIVED:OMPLETED:	DEPARTED_'
PRODUCT: LOAD:	DEPARTED '
	3000
TOTAL INVO	DICE: The state of
	-01

HER 00017



P.O. Drawer O Freepon, Taxas 77541 Ollico (409) 233-6371 Fax. (409) 233-6375.x

EQUIPMENT	HOURS USED	HOURLY RATE	TOTAL PRICE
COMPRESSOR		44.00	,324
AIR MOVERS	42	5.00	
VACUUM		20.00	
BOILER		80.00	, <u>2</u> -
HAND HOSE	ili ingga samaan ng Pin ng ng ng ng ng ng	10.00	
BUTTERWORTH -		10.00	
2" STRIP PUMP	4	12.00	
3" DIESEL PUM		14.00	
4" ELECT PUMP		15.00	
			معيتهم.
CRANE		130.00 *	
CHERRYPICKER	a la milita longitude est politico. La light per la la companya de la c	50.00	
FORKLIFT		20.00	
TUC BOAT		80.00	
WELD MACHINE		15.00	
CUTTING RIG		8.00	
WORK BARCE		35.00	
HAUL OUT		1100.00	
30	Saladekija, trancija (z. 1871)		

HER 00018

BARCE NAME: ETTE



Strength through experience, equipment, know-how
P.O. Drawer O
Giffice: (409) 233-6371
Freeport, Texas 77541
Fax: (409) 233-6375

FINAL CHECK LIST

DATE: 1-x-96	
BARCE: <u>E++=11.3</u>	
BLND NUMBER CHECKED 2 REPLACED GAS	SKET YESNO
CATE VALVE NUMBER CHECKED REPLACED GAS	SKET YES NO
PLUGS NUMBER CHECKED / REPLACED PLU	OG YESNO
CHECK VALVE NUMBER CHECKED N/A REPLACED GAS	KET YES NO
DEEPWELL BLIND NUMBER CHECKED /// REPLACED GAS	KET YES NO
BELOW DECK CARCO PIPELINE BLIND NUMBER REPLA	CED GASKET YESNO_
DELOW DECK CARGO PIPELINE BLIND REMOVED YES	NO
DRIP PANS VALVES: CLOSED BY 2000	
DRIP PANS COVER: CLOSED BY 1/4	
COMTAINMENT AREA PLUG OR VALVES: CLOSED BY	WC10
AIR TEST CARGO LINE - 40psi - USING SOAP	
WITNESS: Suesa	
WITNESS: Surra	A.
	△ ₩

CHECK VALVE GASKET WILL BE REPLACED

MIR TEST IS LAST THING TO BE DONE BEFORE RELEASING BARGE.

DARGE CLEANING REPORT

JOB NO. 219 40	ETA
BARGE NO. E++-1/3	DATE/TIME ARRIVAL 1-8-96 - 9
그는 사람들은 사람들이 그렇게 되었다.	DATE/TIME STARTED/-9-56- 8:30
	DATE/TIME COMPLETED = 8.96 = 6:30PM
AMOUNT STRIPPED 400	
CLEANING INSTRUCTION BY: 502 ette	
COMPLETION SCHEDULE BY:	·
OVERTIME AUTHORIZED BY:	A Committee of the Comm
BARGE INSPECTED BY:	DATE/TIME:
BARGE RELEASED TO:	DATE/TIME:
DEEPWELL OPENED: YES A CLOSED BY N	NEW GASKET YES . NO
BELOW DECK CARGO PIPELINE: BLIND OPEN YES MA NO	CLOSED BY NEW CASKET
	•
DECK CHECK VALVE OPENED: YES NA NO CLOSED BY	NEW GASKET YES NO
DECK HEADER BLINDS OPEN: INSPECTED BY CALE	B BREIT
DECY HEADER DRAIN PINC OPEN, VES / NO CLOSED BY	Chine
VAPOR RECOVERY HEADER OPENED: YES NO CLOSED E	BY CUCAC NEW GASKET
RUST SCALE: YES NO WASHED OUT BUCKETED	OUT YES NO
NUMBER OF CARC TANKS 3	
CONDITION OF CARGO VALVES GOD	
SLOP TANK STRIPPED: YES WILL NO	
DRIP PANS STRIPPED: YES NO NO	
WEATHER: TEMP // RAIN FOC HUMIDITY OVER	CLEARCLOUDYCLEAR
PIPELINE WASHED: MOC PIPELINE BLOWN HOS INSPE	
BOW RAKE CHECKED: YES NO STERN F	AKE: YESNO
VOIDS: YES NO SAFETY EQUIPMENT U	
SIMPS INSPICTED	************
NOTICE	
All barges cleaned for BASF will be inspected by Cal have paperwork for the Hercules foreman in charge to two copies in the document mail box. One copy will captain of the tugboat that is picking up the barge inspection is completed and documentation is in the logistics representative must be contacted.	sigm. The forman will put stay in the mailbox, and the will not be called until
Inspected 1 1964 1604	Time Out
Inspected By David Rocks	
NO RASE BARGE THAT HAS BEEN CLEANED WILL BE RELEASED. THE RELEASE PAPERS. CALEB BRETT WILL BE GIVEN A COP	

HER 00020

Inchcape Testing Services Caleb Brett

[YOUR REFERENCE		
	OUR REFERENCE	 -	

VISUAL TANK INSPECTION REPORT

ge ETT 113"	PACOUCT/CARGO PL/A	Hercules &	0ATE -9-96
≺ Number	1,2,36		
< Coating			
Cargo	Cuclo		
ond Last Cargo		•	
1 Last Cargo			
3/Date Inspected	1-9-90		
al Cleanliness Accepted/Rejected*	Accepted		J.
son for Rejection			

	TK#1,2,3C	Wash Dipeline w/ water at 170 1200 for 130 for 13
Method said to	TK#	wash ic careo tank w/H2D@ 170° for 30 min.
ave been used	TK#	Strip and Blow IT + 126+3C W/ OIF Somin Dertank 10 140 151
to clean tanks:	TK#	
	TK#	
	TK#	
	TK#	

nation regarding previous cargoes, tank coating and cleaning method was obtained from vessel personnel and cannot be guaranteed as accurate by Caleb Brett .., Inc. and no liability can be assumed for errors resulting from improper information supplied. This report, of necessity, is based on such information.

the cleanliness of inspected tank(s) is/are based on visual inspection of tank surfaces and line system at accessible areas only. This document does not cover a cleanliness of tank surfaces and line system at inaccessible spots and/or possible release of components of previous cargoes during loading, discharge or insport of the cargo in question, for which the vessel is fully responsible. Suitability of tank coating for intended cargo must be guaranteed by vessel's owner by suppliers of the coating.

FOR CALEB BRETT

HER 00021

⇒ # 2-056-94

TIME	L	OG
------	---	----

OUR REFERENCE	

		,	
VESSEL	PRODUCT/CARGO	PORT/TERMINAL	DATE
7	1 01/0	111 1	1 1 - 0 - 01
Dame ETT 113"	1 111/ H	THECCIALESE.	1-4-46
<u> </u>	<u> </u>		
•	,		

MONTH	DAY	HOUR	EVENT	
	9	1530	Inspector Notified	
		1608	Inspector Arrived	<u> </u>
.36		1610	Commenced Barge Inspection	·
		1620	Witnessed Lines being popped	
		1630	Completed Barge Inspection	
<u> </u>	/_	1650	Paperwork Completed	
· · ·	<u> </u>			
		<u> </u>		
· · · · · · · · · · · · · · · · · · ·		<u> </u>		
		<u> </u>		
	•			· · · · · · · · · · · · · · · · · · ·
:	<u> </u>		`	
	-	· 		
			·	
				- -
			`	
ļ				

E-Cr	Maccal

FORM # 2-044-93

#178564C (1-3)

Darie L. Reece

HER 00022

at parties

RAZARDS COMMUNICATION STANDARD

OSNA 1910.1200

EMPLOYEE HAZARDOUS MATERIALS TRAINING PROCEAM

Date/-8-96		Supervisor Olac	Ser De cont
Plant HOTCULOS		Client Safety	
Ett=113		ar	· · ·
The following listed mate	rials are consi	dered to be hezardous to	the employees
working in this area; 11		,L	
CHCLOHOLAND			
-			
The employees assigned to	work in this a	rea have been informed o	f the hazardous
materials in this area, t			
of hezards listed, the p		•	
it is located, and proced			
I have received the train	ing listed above	and will so designate	by aigning this
form.			
NAME	BADGE	NAME	BADGE
Selven	/		
L. Heir MAJA	z		
Dust A Casas	!		
<u>/</u>			
	·		
	3		•
			HER 00023
e.			Lim.
	!		

CYCLOHEXANE, 98%

DANGER!

EXTREMELY FLAMMABLE - VAPORS MAY IGNITE EXPLOSIVELY. POSSIBLE ASPIRATION HAZARD.

DANGER: CONTAINS BENZENE - CANCER HAZARD. Benzene is a known human carcinogen - overex-posure may create cancer risk, blood changes or chromosome changes. Benzene has caused fetal death in animals.

PRECAUTIONS:

Keep away from heat, sparks and flame. Keep container closed. Use with adequate ventilation. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Launder contaminated clothing before reuse. Do not swallow. May be aspirated into the lungs.

FIRST AID

In case of contact, flush eyes with water. Flush skin with water for 15 minutes. If inhaled, remove from exposure. If breathing is difficult, give oxygen, seek medical attention. If swallowed, do not induce vomiting. Seek immediate medical assistance. NOTE TO PHYSICIAN: Gastric lavage using a cuffed endotracheal tube may be performed at your discretion.

FOR ADDITIONAL INFORMATION, SEE MATERIAL SAFETY DATA SHEET.

MANUFACTURED BY
PHILLIPS 66 COMPANY
A SUBSIDIARY OF PHILLIPS PETROLEUM COMPANY
BARTLESVILLE, OK 74004
UNITED STATES OF AMERICA

FORM 12503-S 12-89

496

DECLARATION OF INSPECTION PRIOR TO BULK CARGO TRANSFER

VESSELS	Ett	-1/-3			
•	BASE				
TRANSFER FACILITY					
		AS FARE DECK			
LOCATION	FREEPORT 1	. X:			
The following list refers on reverse). The spaces adjac been met.		orth in detail in 33 CFR 15 t are provided to indicate			
			בשם	VERER	_RECEIVER
1. Communication System	Language Fluency ()	[56.120) (m) (p))	-	-	
· 2. Warning Signs and red	Warning Signals. (35.3	15-3 0)	į	ا سسه	
3. Vessels Moorings, (156.1)	20 (a))				
4. Transfer System Alignm	ent. (156.120 (d))			اسسا	
5. Transfer System; unuse) (a))		~	
d. Transfer Setems; fixed	• •				-
7. Overboard Discharges/S		l.120 (g))		2	2
8. Hoses of Loading Arms		_			
0. Hoses; longth and suppo	art. (156.120 (b) (c))	•	-		
10. Connections (ISS.130)		•			
11. Discharge Containment	System (186.120 (j) (l))			
12. Scuppers of Draine. (15	£130-(%)}				
13. himergency Shudows (195120 (n)					
14. Repair Work Authorized	14. Repair Work Anthochadion. (36.35-30)			A	N/A
15. Boller and Celler Fires Safety, (35.35-30)			N	A	N/A
18. Fires of Open Flames (35.35-30)		N		N/A	
17. Lighting (sunset to sunr	17. Lighting (sunset to sunrise). (156.120 (t))				
18. Sate Smoking Spaces. (3	18. Sats Smoking Spaces. (35.36-30)				
10. Spill and Emergency sh	utdown procedures. (15	(d.120 (q))	-		
20. Sufficient Personnel. (186,120 (o) (e))					
21. Transfer Conference. (1)	66.120 (q))			$\overline{}$	
	groement to begin transfer. (156.120 (r))				
I do certify that I have per a reverse and that opposite ear	monally inspected this	facility or vessel with refer	rence to	the requ	drements printed
		steer trees can tellementions to	(Ve D-beg)		500
erson in Charge Receiving Un	ur	TITLE			♣ DATE
(PRALLE- YARONO-	No. of the last of	FOREMIAN	/	<u>-8-91</u>	- 9: 70Ano
erson in Charge Delivering U	nlt	FUEL PERSON	;	<u> </u>	
Obul D.		- 402 . 1110011	- -		
TIME COMPLETED /- 8-6					
Rules and Regulations for To	2.5				
Lat Sa	•				HER 0002
	•				

		•	الأست
Date JAN	9_	19_	96
M KITTY'S BUT	10/1	C	na
No. Hercules			
			-
Reg. No. Clerk FORW	ARD '		
1603	}	15	10
2		•	
3 6 FF			50
4			
5 Chet SAL		4	95
· <u>. 6</u>		<u> </u>	<u>.</u>
18 Coke		6	40
8			
9 7 JAPS	<u> </u>		72
10	<u>_</u> <u>_</u>		1-0
	يئــــــــــــــــــــــــــــــــــــ	55	4
12 LifiLwera		_2	80
13 1 1 O -	<u>[</u>	8.	40
14 4 4 4	<u>ت</u>		
15	<u> </u>		
Year Account Styles to Date - Il Error b	Found Re	luth of C	Mar.



Strength through environmental awareness and customer service

P.O. Drawer Q Freeport, Texas 77541 Office (409) 233-6371 Fax. (409) 233-6375

EQU I PME T	HOURS USED	HOURLY RATE	TOTAL PRICE
COMPRESSOR	8	44.00	
ALD MOVEDS	8	5 00	
VACUUM		20.00	
BOILER		80.00	
HAND HOSE		10.00	
BUTTERWORTH		10.00	
2" STRIP PUMP		12.00	· · · ·
3" DIESEL PUMP		14.00	
4" ELECT PUMP		15.00	·
			·
CRANE		130.00	
CHERRYPICKER		. 50.00	· · · - - · · · · · · · · · · · · · · ·
FORKLIFT		20.00	,,45
TUC BOAT		80.00	
WELD MACHINE 2			
CUTTING RIG 2	6 EASH		
WORK BARGE	6_5A34	25.00	
HAUL OUT	. ~	1100.00	· <u>*</u>
DATE: 1- 9-96	JOB NO:	BARGE NAME: _E_	TT-113

John W. Sansing MARINE CHEMIST CERTIFICATE Tel. 713-478-4091 1509 Kilgarlin In. Deer Park, Tx. 77536 SERIAL NO. F 68114 1-9-965 HARCULKS MUCHE GARGE ETT-113 Olayour Compositions; Cyclothern Cyclo HEXALE
Last Three (3) Cargoes NOTES: (1) * provide Forced VENTILUTION IN CAGO THATE, (2) PROVIDE FORMED WEST /4TON (3) KHER IS SHER FOR IN-SHIPPYMEN SHITTHE (4) TEST LIESU 113: 65 CLAGO THATES: ZO. 8% UNGKN; TEXO TO LEL! 185 TO 250 PPM Cyclo HELLINE 13) Wids; 20.830 Uty City (Tite 04) Will 070 5 ppm cycloseesure (voc.) (C) KOW used STEEN - FITTED WITH MATTER STELN VOITS - MY LES LITTE WATER - SAFE FOR HOT WELL SAFE FOR WEXXELS SHE FOR HOT WORK

ENTER WITH KYSTICOTION STEE FOR WAT WOUT

Fore Hor week CALLO DID ING; VASAX DIDING STRYPPING PYPING

GUALIFICATIONS: Transfer of ballast or manipulation of valves or closure equipment tending to after conditions in pipe lines, tanks or ments subject to gas accumulation, unless specifically approved in this Certificate, requires inspection and endorsement or relasue of C for the spaces so affected. All lines, vents, heating colls, valves, and similarly enclosed appurtenances shall be considered "not sai otherwise specifically designated.

STANDARD SAFETY DESIGNATIONS (partial list, paraphrased from NFPA 306 Subsections 2-3.1 through 2-3.5, and Subsection 6-3.2)

SAFE FOR WORKERS: Means that in the compartment or space so designated: (a) the oxygen content of the atmosphere is at least 19.5 percent by volume; and that, (b) toxic materials in the atmosphere are within permissible concentrations; and that, (c) the residues are not capable of producing toxic materials under existing atmospheric conditions white maintained as directed on the Marine Chemist's Certificate.

NOT SAFE FOR WORKERS: Means that in the compartment or space so designated, the requirements of Safe for Workers have not been met.

ENTER WITH RESTRICTIONS: Means that in any compartment or space so designated, entry for work may be made only if conditions of proper protective equipment, clothing, and time are as specified.

SAFE FOR HOT WORK: Means that in the compartment so designated: (a) oxygen content of the atmosphere is at least 19.5 percent by volume, with the exception of inerted spaces or where external hot work is to be performed; and that, (b) the concentration of flammable materials in the atmosphere is below 10 percent of the lower flammable limit; and that, (c) the residues are not capable of producing a higher concentration than permitted by (b) above under existing atmospheric conditions in the presence of fire, and while maintained as directed on the Marine Chemist's Certificate; and further, that, (d) all adjacent spaces containing or having contained flammable or combustible materials have been cleaned sufficiently to prevent the spread of fire, or are satisfactorily inerted, or, in the case of fuel tanks or lube oil tanks, or engine room or fire room bilges, have been treated in accordance with the Marine Chemist's requirements.

in the compartment so designated, the requirements of Sale for Hot Work have not been met NOT SAFE FOR HOT WORK: Means that

SAFE FOR REPAIR YARD ENTRY: Means that the compartments and spaces of the flammable cryogenic liquid carrier so designated: (a) have been tested by sampling at remote sampling stations, and results indicate the atmosphere tested to be above 19.5 percent oxygen, and less than 10 percent of the lower flammable limit, or (b) are incred.

CHEMIST'S ENDORSEMENT. This is to certify that I have personally determined that all spaces in the foregoing list are in accordance with NFPA 306 Control of Gas Hazards on Vessels and have found the condition of each to be in accordance with its assigned designation.

ndersigned acknowledges receipt of this Certificate under Section 2-6 of NFPA 306 and lands conditions and limitations under which it was issued."

This Certificate is based on conditions existing at the time the inspectional subject to compliance with all qualifications and instructions.

1-9-96 Signed

NOTE: THIS CERTIFICATE IS VALID ONLY ON MARINE VESSELS

TUNEL BOTTOMS